

1.

2.

3.

4.

5.

1.

2.

3.

4.

5.

6. 3

1

2

3

4

1

X CT

2

3

4 4h

5 30min 10mg

1.

1 2cm

2.

1cm

40

5F

J

3.

1
5mm

2

3

1.

2.

3.

4.

1.

2.

3.

4.

5.

6. 3

1

2

3

4

1

X CT

2

3

4 4h

5 30min 10mg

1.

0.5 1.0cm

2 3cm

2.

3.

4.

30 40

1.

2.

1.

2.

3.

4.

1.

2.

5 10ml

6 7

3.

1

2

90

3

1/3

1/3

1-3cm

45

5-10min

1.

2.

10ml

3

4

5

6

(PTA) DVT
4
()
: DVT
DVT
DVT PTA
6
DVT
DVT DVT
3 () 1
- DVT
>180/110 mmHg 75
2
DVT
DVT DVT 3 PTA
(Cockett May-Thurner)
(PTA)
-

1

Homan

Neuhof

2

g/L

INR

D
DVT

FIB

D-D

:

ELISA
APTT

PT

D-D>500
TT

3

1 .

2 .

DVT

DVT

3 .

DVT

4 .

CTA

CT

MSCTA

DVT

5 .

MRA

MRA

()

1

7

:

20

~100

u/d

: 8~12 F

7~8F

4~5F

50 ml

30 ml

PTA

PTA

10~12 mm

1~3 min

8~10 mm

12~14 mm

10~12 mm

1

DVT

2

3

1.

200 ml

DVT

>30%

2.

DVT

PTA

1.DVT

2.

3.

1~2 mm

3 mm

4.

5.

()

()

1

30cm 20cm

PTA

2

2~3

3

4

12

6

1,3,6,12

1

6

1

CT

2

3

3

3~7

4 PE

PTA

PE

PE

PTA

PE

5 PTA

PTA

DVT

PTA

PTA

1. (HAI)

2. HAI , , ,
<3000 ,

3. (HAE)

<70%

4. HAE

, : [>51 mol/L,ALT>120U()]
, Child C

70% 70% (,)

<3000

1.

2.

3.

4. 6

5. 10MG

6.

7.

1. seldinger

2.

150-200ml,

15-20min

3.

30ml

-

4.

10-15min

8-12h

5.

6.

1

2

3

4

5

1

2

3 109/1

3

1.

	a.	ct		b.
ct	mr	pet-ct	c.	
d.				nse

2.

a.

dsa

b.

cobra

c.

1

2

3

1

2cm

seldinger

以上内容仅为本文档的试下载部分，为可阅读页数的一半内容。如要下载或阅读全文，请访问：<https://d.book118.com/446114125031010044>